

North Miami : Basin "E" Smoke Test Schedule

	TaskID	GM ID	Dia.	Material	From MH	To MH	Est. Units	PayItem
TUESDAY 4/26	3987	GM1	8	VCP	CO13_189	13_59	267.8	Smoke test
	4051	GM10	8	VCP	13_11	13_10	361.3	Smoke test
	4052	GM11	8	VCP	13_10	13_9	359.6	Smoke test
	4053	GM12	8	VCP	13_9	13_8	362.5	Smoke test
	4054	GM13	10	VCP	13_8	13_7	362.2	Smoke test
	4064	GM14	10	VCP	13_7	13_6	357.7	Smoke test
	4056	GM15	10	VCP	13_6	13_5	362.8	Smoke test
	4049	GM16	12	VCP	13_5	13_4	299.3	Smoke test
	4058	GM17	12	VCP	13_4	13_3	307.4	Smoke test
	4004	GM1784	8	VCP	CO13_196	13_61	251.9	Smoke test
	4005	GM1785	8	VCP	13_61	13_60	310.7	Smoke test
	4006	GM1786	8	VCP	13_60	13_5	345.0	Smoke test
4007	GM1787	8	VCP	CO13_164	13_75	192.1	Smoke test	
WEDNESDAY 4/27	4008	GM1788	8	VCP	13_75	13_74	329.4	Smoke test
	4009	GM1789	8	VCP	13_74	13_73	372.6	Smoke test
	4010	GM1790	8	VCP	13_73	13_72	401.2	Smoke test
	4011	GM1791	8	VCP	13_72	13_71	372.9	Smoke test
	4012	GM1792	8	VCP	13_71	13_70	386.5	Smoke test
	4013	GM1793	8	VCP	13_70	13_69	401.0	Smoke test
	4014	GM1794	8	VCP	13_69	13_60	335.4	Smoke test
	4015	GM1795	8	VCP	CO13_165	13_88	259.7	Smoke test
	4023	GM1796	8	VCP	13_88	13_87	367.1	Smoke test
	4025	GM1797	8	VCP	13_87	13_86	361.1	Smoke test
	4002	GM1798	8	VCP	13_86	13_85	364.9	Smoke test
	4030	GM1799	8	VCP	13_85	13_84	354.1	Smoke test
THURSDAY 4/28	4059	GM18	12	VCP	13_3	13_2	324.1	Smoke test
	4085	GM1800	8	VCP	13_84	13_83	368.8	Smoke test
	4028	GM1801	8	VCP	13_83	13_82	374.5	Smoke test
	4050	GM1802	8	VCP	13_82	13_69	324.3	Smoke test
	4027	GM1803	8	VCP	13_97	13_96	328.7	Smoke test
	4026	GM1804	8	VCP	13_96	13_95	379.6	Smoke test
	4017	GM1805	8	VCP	13_95	13_94	377.5	Smoke test
	4024	GM1806	8	VCP	13_94	13_93	376.2	Smoke test
	4032	GM1807	8	VCP	13_93	13_92	377.2	Smoke test
	4022	GM1808	8	VCP	13_92	13_82	333.8	Smoke test
	4021	GM1809	8	VCP	CO13_184	13_111	259.7	Smoke test
	4020	GM1810	8	VCP	13_111	13_110	327.2	Smoke test
FRIDAY 4/29	4019	GM1811	8	VCP	13_110	13_109	325.7	Smoke test
	4018	GM1812	8	VCP	13_109	13_108	328.0	Smoke test
	4016	GM1813	8	VCP	13_108	13_102	346.2	Smoke test
	4083	GM1814	8	VCP	13_102	13_92	330.0	Smoke test
	4093	GM1815	8	VCP	CO13_185	13_105	259.0	Smoke test
	4105	GM1816	8	VCP	13_105	13_104	323.6	Smoke test
	4094	GM1817	8	VCP	13_104	13_103	328.2	Smoke test
	4090	GM1818	8	VCP	13_103	13_102	324.1	Smoke test
	4095	GM1819	8	VCP	CO13_350	13_115	133.1	Smoke test
	4096	GM1820	8	VCP	13_115	13_108	285.3	Smoke test
	4097	GM1821	8	VCP	13_114	13_113	273.3	Smoke test
	4098	GM1822	8	VCP	13_113	13_112	219.8	Smoke test
MONDAY 5/2	4099	GM1823	8	VCP	13_112	13_108	219.2	Smoke test
	4114	GM1828	8	VCP	13_68	13_67	275.5	Smoke test
	4109	GM1829	8	VCP	13_67	13_66	350.3	Smoke test
	4111	GM1830	8	VCP	13_66	13_65	352.3	Smoke test
	4110	GM1831	8	VCP	13_65	13_64	351.9	Smoke test
	4113	GM1832	8	VCP	13_64	13_63	351.8	Smoke test
	4108	GM1833	8	VCP	13_63	13_62	357.4	Smoke test
	4102	GM1834	8	VCP	13_62	13_60	346.6	Smoke test
4107	GM1835	8	VCP	13_81	13_80	282.1	Smoke test	
4104	GM1836	8	VCP	13_80	13_79	353.9	Smoke test	

(MONDAY CONT.)	4103	GM1837	8	VCP	13_79	13_78	347.5	Smoke test
	4092	GM1838	8	VCP	13_78	13_77	357.8	Smoke test
	4076	GM1839	8	VCP	13_77	13_76	369.8	Smoke test
	4066	GM1840	8	VCP	13_76	13_69	342.5	Smoke test
	4067	GM1841	8	VCP	CO13_225	13_91	236.4	Smoke test
	4068	GM1842	8	VCP	CO13_226	13_91	248.5	Smoke test
TUESDAY 5/3	4069	GM1843	8	VCP	13_91	13_90	389.5	Smoke test
	4070	GM1844	8	VCP	13_90	13_89	394.1	Smoke test
	4071	GM1845	8	VCP	13_89	13_82	407.3	Smoke test
	4072	GM1846	8	VCP	13_101	13_100	256.5	Smoke test
	4073	GM1847	8	VCP	13_100	13_99	372.1	Smoke test
	4074	GM1848	8	VCP	13_99	13_98	365.1	Smoke test
	4075	GM1849	8	VCP	13_98	13_92	370.9	Smoke test
	4089	GM1850	8	VCP	CO13_223	13_107	171.8	Smoke test
	4077	GM1851	8	VCP	13_107	13_106	337.8	Smoke test
	4065	GM1852	8	VCP	13_106	13_102	350.7	Smoke test
	4079	GM1853	8	VCP	CO13_222	13_107	215.1	Smoke test
	4060	GM19	12	VCP	13_2	13_1	303.8	Smoke test
	4112	GM2	8	VCP	13_59	13_58	314.9	Smoke test
WEDNESDAY 5/4	4061	GM20	15	VCP	13_1	PS_13	64.6	Smoke test
	3993	GM2073	8	VCP	13_133	13_132	158.5	Smoke test
	3992	GM2074	8	VCP	13_132	13_131	307.1	Smoke test
	3979	GM2075	8	VCP	13_131	13_130	44.5	Smoke test
	3990	GM2076	8	VCP	13_130	13_129	310.2	Smoke test
	4001	GM2077	8	VCP	13_129	13_126	310.8	Smoke test
	3988	GM2078	8	VCP	13_126	13_125	340.9	Smoke test
	3986	GM2079	8	VCP	13_125	13_123	317.9	Smoke test
	3985	GM2080	8	CIP	13_123	13_121	326.3	Smoke test
	3984	GM2081	8	VCP	CO13_230	13_124	173.4	Smoke test
	3983	GM2082	8	VCP	13_124	13_123	343.7	Smoke test
	3996	GM2083	8	VCP	CO13_232	13_130	233.5	Smoke test
	3980	GM2084	8	VCP	CO13_231	13_128	176.1	Smoke test
	3981	GM2085	8	VCP	13_128	13_127	259.1	Smoke test
	3982	GM2086	8	VCP	13_127	13_126	307.3	Smoke test
	4062	GM21	8	VCP	CO13_228	13_43	244.0	Smoke test
	4080	GM2190	8	CIP	13_35	13_134	278.5	Smoke test
THURSDAY 5/5	4081	GM2191	8	VCP	13_34	13_32	109.0	Smoke test
	4082	GM2193	8	VCP	13_32	13_31	389.1	Smoke test
	4078	GM2195	8	VCP	13_41	13_39	38.5	Smoke test
	4084	GM2196	8	VCP	13_39	13_38	209.4	Smoke test
	4091	GM2197	8	VCP	13_38	13_37	280.3	Smoke test
	4086	GM2198	8	VCP	13_37	13_36	157.1	Smoke test
	4087	GM2199	8	VCP	13_36	13_34	148.0	Smoke test
	4063	GM22	8	VCP	13_43	13_12	390.2	Smoke test
	4088	GM2200	8	VCP	13_40	13_39	140.0	Smoke test
	4041	GM23	8	VCP	CO13_227	13_122	256.2	Smoke test
	3964	GM2370	8	CIP	13_134	13_34	305.2	Smoke test
	4039	GM24	8	VCP	13_122	13_121	344.1	Smoke test
	4055	GM25	8	CIP	13_121	13_116	338.1	Smoke test
	4035	GM26	15	VCP	13_116	13_1	94.1	Smoke test
	4036	GM27	15	VCP	13_117	13_116	362.3	Smoke test
4037	GM28	8	VCP	13_120	13_119	281.5	Smoke test	
4038	GM29	8	VCP	13_119	13_118	367.8	Smoke test	
FRIDAY 5/6	4106	GM3	8	VCP	13_58	13_55	309.0	Smoke test
	4048	GM30	8	VCP	13_118	13_117	374.3	Smoke test
	4040	GM31	8	VCP	CO13_188	13_57	213.3	Smoke test
	4033	GM32	8	VCP	13_57	13_56	254.2	Smoke test
	4042	GM33	8	VCP	13_56	13_55	302.4	Smoke test
	4043	GM34	8	VCP	13_54	13_53	370.6	Smoke test
	4044	GM35	8	VCP	13_53	13_51	305.6	Smoke test
4045	GM36	8	VCP	CO13_191	13_52	249.2	Smoke test	

(FRIDAY CONT.)	4046	GM37	8	VCP	13_52	13_51	370.0	Smoke test
	4047	GM38	8	VCP	13_50	13_49	329.8	Smoke test
	3962	GM39	8	VCP	13_49	13_47	345.0	Smoke test
	4101	GM4	8	VCP	13_55	13_51	186.4	Smoke test
	3978	GM40	8	VCP	CO13_193	13_48	258.4	Smoke test
	3969	GM41	8	VCP	13_48	13_47	370.9	Smoke test
MONDAY 5/9	3963	GM42	8	VCP	CO13_229	13_46	250.1	Smoke test
	3961	GM43	8	VCP	13_46	13_46	389.5	Smoke test
	3960	GM44	8	VCP	CO13_195	13_45	255.1	Smoke test
	3959	GM45	8	VCP	13_45	13_44	345.4	Smoke test
	3968	GM46	8	VCP	13_31	13_28	152.0	Smoke test
	3995	GM47	8	VCP	13_28	13_25	309.0	Smoke test
	3967	GM48	8	VCP	13_25	13_20	150.5	Smoke test
	3965	GM49	8	CIP	13_20	13_16	327.2	Smoke test
	4100	GM5	8	VCP	13_51	13_47	316.1	Smoke test
	3977	GM50	8	VCP	CO13_186	13_16	212.2	Smoke test
	3994	GM51	8	VCP	13_26	13_25	347.0	Smoke test
	3976	GM52	8	VCP	13_23	13_22	389.4	Smoke test
	4029	GM53	8	VCP	13_22	13_21	400.3	Smoke test
	3975	GM54	8	VCP	13_21	13_20	377.7	Smoke test
TUESDAY 5/10	3974	GM55	8	VCP	13_19	13_18	330.8	Smoke test
	3973	GM56	8	VCP	13_18	13_17	385.8	Smoke test
	3972	GM57	8	VCP	13_17	13_16	362.5	Smoke test
	3971	GM58	8	VCP	CO13_192	13_27	218.6	Smoke test
	3970	GM59	8	VCP	13_27	13_25	395.3	Smoke test
	4003	GM6	8	VCP	13_47	13_44	148.2	Smoke test
	3958	GM60	8	VCP	CO13_194	13_24	241.8	Smoke test
	3957	GM61	8	VCP	13_24	13_20	370.6	Smoke test
	3956	GM62	10	VCP	13_16	13_15	325.4	Smoke test
	3966	GM63	10	CIP	13_15	13_14	336.3	Smoke test
	3991	GM64	10	CIP	13_14	13_13	337.7	Smoke test
	4000	GM65	10	CIP	13_13	13_12	317.4	Smoke test
	3999	GM66	8	VCP	CO13_187	13_29	139.9	Smoke test
	3998	GM67	8	VCP	13_29	13_28	276.1	Smoke test
WED. 5/11	3989	GM68	8	VCP	CO13_190	13_30	232.2	Smoke test
	3997	GM69	8	VCP	13_30	13_28	360.6	Smoke test
	4034	GM7	8	VCP	13_44	13_12	325.3	Smoke test
	4057	GM8	10	VCP	13_12	13_5	327.5	Smoke test
	4031	GM9	8	VCP	CO13_162	13_11	258.1	Smoke test